



Handgel

Product Safety Information Sheet

A safety data sheet is not required for this product under Article 31 of REACH. This Product Safety Information Sheet has been created on a voluntary basis

Issue date:10-6-2020 Revision date:10-6-2020 :

Version: 0.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name : Handgel
Product code : 6303.2_99999
Type of product : Cosmetic product
Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public
Main use category : Professional use, Consumer use
Use of the substance/mixture : The data given here is based on the product properties as mentioned in section 1.1. and is provided on the assumption, that the product will be used in the manner and for the purposes for which the manufacturer indicates.
Use of the substance/mixture : Cleaner
Function or use category : Cosmetics

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Helichem B.V.
Kozakkenberg 5
NL-5951 DL Belfeld - Nederland
T +31 (0) 77 3590999 - F +31 (0)77 3590998
info@helichem.nl - www.helichem.nl

1.4. Emergency telephone number

Emergency number : See Section 1.3; Only during office hours

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals-24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
Israel	Israel Poison Information Center Rambam Health Care Campus	6 Ha'Aliya Street 31096 Haifa	+972 4 854 1900	
Malta	Medicines & Poisons Info Office	Mater Dei Hospital MSD Msida	+356 2545 6504	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The classification in categories of danger in compliance with Regulation (EC) 1272/2008 does not apply to cosmetic products.

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not applicable

Adverse physicochemical, human health and environmental effects

2.2. Label elements

Cosmetic product: no labelling requirements in compliance with Directive (EC) 1272/2008. The product does not need to be labelled in accordance with EEC directives on classification, packaging and labelling of dangerous substances.

2.3. Other hazards

Adverse physicochemical, human health and : The classification in categories of danger in compliance with Regulation (EC) 1272/2008 does

Handgel

Product Safety Information Sheet

A safety data sheet is not required for this product under Article 31 of REACH. This Product Safety Information Sheet has been created on a voluntary basis

environmental effects

not apply to cosmetic products.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Ethanol (INCI: ALCOHOL DENAT.)	(CAS-No.) 64-17-5 (EC-No.) 200-578-6 (EC Index-No.) 603-002-00-5 (REACH-no) 01-2119457610-43	≥ 30	Flam. Liq. 2, H225 Eye Irrit. 2, H319
Glycerol (INCI: GLYCERIN) substance with national workplace exposure limit(s) (GB, IE)	(CAS-No.) 56-81-5 (EC-No.) 200-289-5 (REACH-no) 01-2119471987-18	0,1 – 1	Not classified
hydrogen peroxide solution... % (INCI: HYDROGEN PEROXIDE) substance with a Community workplace exposure limit substance with national workplace exposure limit(s) (GB, IE)	(CAS-No.) 7722-84-1 (EC-No.) 231-765-0 (EC Index-No.) 008-003-00-9 (REACH-no) 01-2119485845-22	0,1 – 1	Ox. Liq. 1, H271 Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Oral), H302 Skin Corr. 1A, H314
2,2',2"-nitrilotriethanol (INCI: TRIETHANOLAMINE) substance with national workplace exposure limit(s) (IE)	(CAS-No.) 102-71-6 (EC-No.) 203-049-8 (REACH-no) 01-2119486482-31	< 0,1	Not classified
2,2'-iminodiethanol (INCI: DIETHANOLAMINE) substance with national workplace exposure limit(s) (IE)	(CAS-No.) 111-42-2 (EC-No.) 203-868-0 (EC Index-No.) 603-071-00-1 (REACH-no) 01-2119488930-28	< 0,1	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT RE 2, H373 Aquatic Chronic 3, H412

Specific concentration limits:

Name	Product identifier	Specific concentration limits
hydrogen peroxide solution... % (INCI: HYDROGEN PEROXIDE)	(CAS-No.) 7722-84-1 (EC-No.) 231-765-0 (EC Index-No.) 008-003-00-9 (REACH-no) 01-2119485845-22	(5 ≤C < 8) Eye Irrit. 2, H319 (8 ≤C < 50) Eye Dam. 1, H318 (35 ≤C < 100) STOT SE 3, H335 (35 ≤C < 50) Skin Irrit. 2, H315 (50 ≤C < 70) Skin Corr. 1B, H314 (50 ≤C < 70) Ox. Liq. 2, H272 (70 ≤C < 100) Skin Corr. 1A, H314 (70 ≤C < 100) Ox. Liq. 1, H271

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Not expected to present a significant inhalation hazard under anticipated conditions of normal use.
First-aid measures after skin contact	: Rinse skin with water/shower. Take off immediately all contaminated clothing.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
First-aid measures after ingestion	: Rinse mouth. If you feel unwell, seek medical advice (show the label where possible).

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: May cause minor irritation to the respiratory tract and to other mucous membranes.
Symptoms/effects after skin contact	: May cause slight irritation to the skin. Redness.
Symptoms/effects after eye contact	: Causes serious eye irritation. Redness, pain.
Symptoms/effects after ingestion	: May cause a light irritation of the linings of the mouth, throat, and gastrointestinal tract. Dizziness, headaches, nausea. Abdominal pain. Diarrhea. Vomiting.

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.

Handgel

Product Safety Information Sheet

A safety data sheet is not required for this product under Article 31 of REACH. This Product Safety Information Sheet has been created on a voluntary basis

5.2. Special hazards arising from the substance or mixture

- Fire hazard : Not combustible. Highly flammable liquid and vapour.
Explosion hazard : May form flammable/explosive vapour-air mixture.

5.3. Advice for firefighters

- Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Material spilled on hard surface can present a serious slipping/falling hazard. Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.

6.1.1. For non-emergency personnel

- Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

- Protective equipment : Equip cleanup crew with proper protection.
Emergency procedures : Ventilate area.

6.2. Environmental precautions

- Do not flush into surface water. Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal. Dispose of in accordance with relevant local regulations. Wash away remainder with plenty of water.

6.4. Reference to other sections

- See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Additional hazards when processed : Handle empty containers with care because residual vapours are flammable.
Precautions for safe handling : Normal precautions for the use of chemicals and cleaners should be taken care of. See information supplied by the manufacturer. No open flames. No smoking. Use personal protective equipment as required. Use only non-sparking tools.
Hygiene measures : Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Ground/bond container and receiving equipment. Proper grounding procedures to avoid static electricity should be followed. Use explosion-proof electrical/ventilating/lighting equipment.
Storage conditions : Keep only in the original container in a cool, well ventilated place. Keep container tightly closed. Protect from freezing. Keep in fireproof place.
Incompatible products : Strong bases. Strong acids.
Incompatible materials : Sources of ignition. Direct sunlight. Heat sources.

7.3. Specific end use(s)

- No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Ethanol (64-17-5)		
Ireland	Local name	Ethanol
Ireland	OEL (15 min ref) (ppm)	1000 ppm
United Kingdom	Local name	Ethanol
United Kingdom	WEL TWA (mg/m ³)	1920 mg/m ³
United Kingdom	WEL TWA (ppm)	1000 ppm
Glycerol (56-81-5)		
Ireland	Local name	Glycerol, mist
Ireland	OEL (8 hours ref) (mg/m ³)	10 mg/m ³
United Kingdom	Local name	Glycerol
United Kingdom	WEL TWA (mg/m ³)	10 mg/m ³ mist

Handgel

Product Safety Information Sheet

A safety data sheet is not required for this product under Article 31 of REACH. This Product Safety Information Sheet has been created on a voluntary basis

hydrogen peroxide solution... % (7722-84-1)		
EU	Local name	Hydrogen peroxide
EU	Notes	(Ongoing)
Ireland	Local name	Hydrogen peroxide
Ireland	OEL (8 hours ref) (mg/m ³)	1,5 mg/m ³
Ireland	OEL (8 hours ref) (ppm)	1 ppm
Ireland	OEL (15 min ref) (mg/m ³)	3 mg/m ³
Ireland	OEL (15 min ref) (ppm)	2 ppm
United Kingdom	Local name	Hydrogen peroxide
United Kingdom	WEL TWA (mg/m ³)	1,4 mg/m ³
United Kingdom	WEL TWA (ppm)	1 ppm
United Kingdom	WEL STEL (mg/m ³)	2,8 mg/m ³
United Kingdom	WEL STEL (ppm)	2 ppm
2,2',2''-nitrilotriethanol (102-71-6)		
Ireland	Local name	Triethanolamine
Ireland	OEL (8 hours ref) (mg/m ³)	5 mg/m ³
2,2'-iminodiethanol (111-42-2)		
Ireland	Local name	Diethanolamine
Ireland	OEL (8 hours ref) (mg/m ³)	1 mg/m ³ IFV (Inhlabl Fraction and Vapour)
Ireland	OEL (8 hours ref) (ppm)	0,2 ppm

Handgel		
DNEL/DMEL (additional information)		
See http	//www.dguv.de/ifa/de/gestis/limit_values/index.jsp : Information on ingredients.	

Glycerol (56-81-5)		
DNEL/DMEL (Workers)		
Long-term - local effects, inhalation	56 mg/m ³	
DNEL/DMEL (General population)		
Long-term - systemic effects,oral	229 mg/kg bodyweight/day	
Long-term - local effects, inhalation	33 mg/m ³	
PNEC (Water)		
PNEC aqua (freshwater)	0,885 mg/l	
PNEC aqua (marine water)	0,0885 mg/l	
PNEC aqua (intermittent, freshwater)	8,85 mg/l	
PNEC (Sediment)		
PNEC sediment (freshwater)	3,3 mg/kg dwt	
PNEC sediment (marine water)	0,33 mg/kg dwt	
PNEC (Soil)		
PNEC soil	0,141 mg/kg dwt	
PNEC (STP)		
PNEC sewage treatment plant	1000 mg/l	

8.2. Exposure controls

Personal protective equipment	: Avoid contact with skin, eyes and clothing. Avoid all unnecessary exposure. Eye protection. Safety glasses.
Hand protection	: protective gloves. Chemical resistant gloves (according to European standard NF EN 374 or equivalent). Use neoprene or rubber gloves. Time of penetration is to be checked with the glove producer
Eye protection	: Wear eye/face protection
Skin and body protection	: If repeated skin contact or contamination of clothing is likely, protective clothing should be worn
Respiratory protection	: No special protection required where adequate ventilation is maintained



Handgel

Product Safety Information Sheet

A safety data sheet is not required for this product under Article 31 of REACH. This Product Safety Information Sheet has been created on a voluntary basis

Other information : Do not eat, drink or smoke when using this product. The information in this section applies to the undiluted product.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Colourless.
Odour	: No data available
Odour threshold	: No data available
pH	: 6 – 7 (20°C)
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 78 – 100 °C
Flash point	: 21 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Highly flammable liquid and vapour.
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 0,85 – 0,87 g/cm ³ (20°C)
Solubility	: Material highly soluble in water. completely soluble.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: 700 – 750 mPa·s (Brookfieldspindel Lv2 30 rpm, 20°C)
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions. Highly flammable liquid and vapour.

10.2. Chemical stability

The product is stable at normal handling and storage conditions. Highly flammable liquid and vapour. May form flammable/explosive vapour-air mixture.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Open flame.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

May release flammable gases. Thermal decomposition generates : fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Ethanol (64-17-5)	
LD50 oral rat	10470 – 13600 mg/kg
LD50 oral	10470 mg/kg bodyweight
LD50 dermal rabbit	> 2000 mg/kg
LD50 dermal	15800 mg/kg bodyweight
LC50 inhalation rat (mg/l)	51 – 124,7 mg/l/4h

Handgel

Product Safety Information Sheet

A safety data sheet is not required for this product under Article 31 of REACH. This Product Safety Information Sheet has been created on a voluntary basis

Ethanol (64-17-5)	
LC50 inhalation rat (Dust/Mist - mg/l/4h)	> 99999 mg/l/4h
Glycerol (56-81-5)	
LD50 oral rat	> 12600 (≤ 27200) mg/kg
LD50 oral	25000 mg/kg bodyweight
LD50 dermal rat	> 15000 mg/kg
LD50 dermal rabbit	> 10000 mg/kg
LD50 dermal	> 18700 mg/kg bodyweight
LC50 inhalation rat (Dust/Mist - mg/l/4h)	50100 mg/l/4h
hydrogen peroxide solution... % (7722-84-1)	
LD50 dermal rat	> 2000 mg/kg
2,2',2''-nitrilotriethanol (102-71-6)	
LD50 oral rat	> 2000 – 7200 mg/kg (OECD 401)
LD50 oral	8000 mg/kg bodyweight
LD50 dermal rabbit	> 2000 – 20000 mg/kg (OECD 402)
LD50 dermal	> 10000 mg/kg bodyweight
LC50 inhalation rat (mg/l)	(1,8 mg/m ³ , LC0, 8h, OECD)
LC50 inhalation rat (Dust/Mist - mg/l/4h)	> 1,8 mg/m ³
2,2'-iminodiethanol (111-42-2)	
LD50 oral rat	676 – 1600 mg/kg (OECD 401)
LD50 oral	710 mg/kg bodyweight
LD50 dermal rabbit	8200 – 12970 mg/kg (OECD 402)
LD50 dermal	12200 mg/kg bodyweight
LC50 inhalation rat (mg/l)	(3.35 mg/m ³ , LC0, 4h, Aerosol, OECD 403) / (0.2 mg/m ³ , LC0, 8h, Aerosol, OECD403)

Skin corrosion/irritation	: Not classified pH: 6 – 7 (20°C)
Serious eye damage/irritation	: Causes serious eye irritation Based on available data, the classification criteria are not met pH: 6 – 7 (20°C)
Respiratory or skin sensitisation	: Not classified Based on available data, the classification criteria are not met
Germ cell mutagenicity	: Not classified Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified Based on available data, the classification criteria are not met
Reproductive toxicity	: Not classified Based on available data, the classification criteria are not met
STOT-single exposure	: Not classified Based on available data, the classification criteria are not met
STOT-repeated exposure	: Not classified Based on available data, the classification criteria are not met
Aspiration hazard	: Not classified Based on available data, the classification criteria are not met
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met. With the product as such no toxicological tests have been done. According to the criteria of art. 3 from (EC) Nr. 1272/2008 [CLP] this product is classified as mentioned in section 2. Components that are toxic are mentioned in section 3.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: With the product as such no ecological tests have been done. According to the criteria of art. 3 from (EC) Nr. 1272/2008 [CLP] this product is classified concerning the environment as mentioned in section 2. Components that are dangerous to the environment are mentioned in section 3.
-------------------	--

Ethanol (64-17-5)	
LC50 fish 1	14200 mg/l
LC50 fish 2	> 100 mg/l (48h, Leuciscus idus)

Handgel

Product Safety Information Sheet

A safety data sheet is not required for this product under Article 31 of REACH. This Product Safety Information Sheet has been created on a voluntary basis

Ethanol (64-17-5)	
EC50 Daphnia 1	12340 mg/l (48h)
EC50 other aquatic organisms 1	5012 mg/l EC50 waterflea (48 h)
EC50 other aquatic organisms 2	275 mg/l IC50 algea (72 h) mg/l
EC50 72h algae (1)	> 100 mg/l (72h, Selenastrum capricornutum)
Glycerol (56-81-5)	
LC50 fish 1	> 1000 mg/l (96h)
LC50 fish 2	885 (96h, Pimephales promelas)
LC50 other aquatic organisms 1	> 54000 (Fish, 96h, Salmo gairdner, Onchorhynchus mykiss)
EC50 Daphnia 1	> 10000 mg/l (24h)
EC50 Daphnia 2	1955 mg/l (48h)
EC50 other aquatic organisms 1	> 10000 mg/l EC50 waterflea (48 h)
EC50 other aquatic organisms 2	> 10000 mg/l IC50 algea (72 h) mg/l
EC50 72h algae (1)	> 29000 mg/l (72h)
hydrogen peroxide solution... % (7722-84-1)	
LC50 fish 1	16,4 mg/l (96h, Pimephales promelas)
EC50 Daphnia 1	7 – 8 mg/l (24h)
EC50 other aquatic organisms 1	1,6 – 5 mg/l (Algae, 72h)
2,2',2"-nitrilotriethanol (102-71-6)	
LC50 fish 1	450 – 1000 mg/l (96h, Lepomis macrochirus)
LC50 fish 2	11800 mg/l (96h, Pimephales promelas, OECD 203)
EC50 Daphnia 1	2038 mg/l (24h)
EC50 Daphnia 2	609,9 mg/l (48h, Ceriodaphniadubia, OECD 202)
EC50 other aquatic organisms 2	216 mg/l IC50 algea (72 h) mg/l
EC50 72h algae (1)	216 – 516 mg/l (Scenedesmus subspicatus, OECD 201)
NOEC chronic crustacea	16 mg/l (21d, OECD 211)
2,2'-iminodiethanol (111-42-2)	
LC50 fish 1	1460 mg/l (96h, Pimephales promelas)
EC50 Daphnia 1	55 mg/l (48h)
EC50 72h algae (1)	7,8 mg/l (72h, Scenedesmus subspicatus)
EC50 72h algae (2)	2,2 mg/l (96h, Pseudokirchneriella subcapitata)
NOEC chronic crustacea	0,78 mg/l (21d, Daphnia magna)
12.2. Persistence and degradability	
Handgel	
Persistence and degradability	Not established. The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.
12.3. Bioaccumulative potential	
Handgel	
Bioaccumulative potential	Not established.
Ethanol (64-17-5)	
Partition coefficient n-octanol/water (Log Kow)	-0,3
Glycerol (56-81-5)	
Partition coefficient n-octanol/water (Log Pow)	-1,76
Partition coefficient n-octanol/water (Log Kow)	-1,76
hydrogen peroxide solution... % (7722-84-1)	
Partition coefficient n-octanol/water (Log Pow)	-1,57
Partition coefficient n-octanol/water (Log Kow)	-1,57
2,2',2"-nitrilotriethanol (102-71-6)	
Partition coefficient n-octanol/water (Log Pow)	-1
Partition coefficient n-octanol/water (Log Kow)	-1
2,2'-iminodiethanol (111-42-2)	
Partition coefficient n-octanol/water (Log Pow)	-2,18 – -1,4
Partition coefficient n-octanol/water (Log Kow)	-1,43

Handgel

Product Safety Information Sheet

A safety data sheet is not required for this product under Article 31 of REACH. This Product Safety Information Sheet has been created on a voluntary basis

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Additional information : Avoid release to the environment.






SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste) : Disposal must be done according to official regulations.
Product/Packaging disposal recommendations : This material and its container must be disposed of in a safe way, and as per local legislation. Product as it is : Flush down the drain with excess of water. Attention : national and/or local laws and regulations may preclude the use of this method. Empty containers can be dumped after cleaning according to local legislation. Recycling is preferred to disposal or incineration. Empty the packaging completely prior to disposal. Flush residue with large amounts of water. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
Additional information : Flammable vapours may accumulate in the container. Handle empty containers with care because residual vapours are flammable.
Ecology - waste materials : Avoid release to the environment.
European List of Waste (LoW) code : 20 01 30 - detergents other than those mentioned in 20 01 29

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
1170	1170	1170	1170	1170
14.2. UN proper shipping name				
ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)	Ethanol solution	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
Transport document description				
UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, II, (D/E)	UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, II			
14.3. Transport hazard class(es)				
3	3	3	3	3
				
14.4. Packing group				
II	II	II	II	II
14.5. Environmental hazards				
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No
No supplementary information available				

14.6. Special precautions for user

- Overland transport


Classification code (ADR) : F1
Special provisions (ADR) : 144, 601
Limited quantities (ADR) : 1I
Excepted quantities (ADR) : E2
Packing instructions (ADR) : P001, IBC02, R001
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T4

Handgel

Product Safety Information Sheet

A safety data sheet is not required for this product under Article 31 of REACH. This Product Safety Information Sheet has been created on a voluntary basis

Portable tank and bulk container special provisions (ADR) : TP1
Tank code (ADR) : LGBF
Vehicle for tank carriage : FL
Transport category (ADR) : 2
Special provisions for carriage - Operation (ADR) : S2, S20
Hazard identification number (Kemler No.) : 33
Orange plates :



Tunnel restriction code (ADR) : D/E
EAC code : •2YE

- Transport by sea

Special provisions (IMDG) : 144
Limited quantities (IMDG) : 1 L
Excepted quantities (IMDG) : E2
Packing instructions (IMDG) : P001
IBC packing instructions (IMDG) : IBC02
Tank instructions (IMDG) : T4
Tank special provisions (IMDG) : TP1
EmS-No. (Fire) : F-E
EmS-No. (Spillage) : S-D
Stowage category (IMDG) : A
Properties and observations (IMDG) : Colourless, volatile liquids. Pure ETHANOL: flashpoint 13°C c.c. Explosive limits: 3.3% to 19% Miscible with water.
MFAG-No : 153

- Air transport

PCA Excepted quantities (IATA) : E2
PCA Limited quantities (IATA) : Y341
PCA limited quantity max net quantity (IATA) : 1L
PCA packing instructions (IATA) : 353
PCA max net quantity (IATA) : 5L
CAO packing instructions (IATA) : 364
CAO max net quantity (IATA) : 60L
Special provisions (IATA) : A3, A58, A180
ERG code (IATA) : 3L

- Inland waterway transport

Classification code (ADN) : F1
Special provisions (ADN) : 144, 601
Limited quantities (ADN) : 1 L
Excepted quantities (ADN) : E2
Equipment required (ADN) : PP, EX, A
Ventilation (ADN) : VE01
Number of blue cones/lights (ADN) : 1

- Rail transport

Classification code (RID) : F1
Special provisions (RID) : 144, 601
Limited quantities (RID) : 1L
Excepted quantities (RID) : E2
Packing instructions (RID) : P001, IBC02, R001
Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T4
Portable tank and bulk container special provisions (RID) : TP1

Handgel

Product Safety Information Sheet

A safety data sheet is not required for this product under Article 31 of REACH. This Product Safety Information Sheet has been created on a voluntary basis

Tank codes for RID tanks (RID)	: LGBF
Transport category (RID)	: 2
Colis express (express parcels) (RID)	: CE7
Hazard identification number (RID)	: 33

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Other information, restriction and prohibition regulations : Cosmetics Label : . Hazard pictograms: Flame. Keep out of reach of children.. In case of contact with the eyes : Rinse with plenty of water.

Regulation(EC) No 1223/2009 on cosmetic products

Label elements - Ingredients INCI

Ingredients : ALCOHOL DENAT.; AQUA; GLYCERIN; ACRYLATES / C10-30 ALKYL ACRYLATE CROSSPOLYMER; HYDROGEN PEROXIDE; TRIETHANOLAMINE; PPG-1 TRIDECETH-13; CYCLOHEXANE; DIETHANOLAMINE

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

Product Safety Assessment accordance regulation (EC) No 1223/2009 of the European Parliament and of the Council of 30 November 2009 on cosmetic products.

Raw materials information section 3.

See <http://esis.jrc.ec.europa.eu/index.php?PGM=dat> : Information on ingredients.

SECTION 16: Other information

A safety data sheet is not required for this product under Article 31 of REACH. This Product Safety Information Sheet has been created on a voluntary basis

Abbreviations and acronyms:

	ABM: Algemene Beoordelings Methodiek (NL) / ADR: Accord Européen relatif au transport international des marchandises dangereuses par route / ALG: Allergen / AQTX: Aquatic Toxicity / Atm: Atmosphere (unit of pressure) / bw: bodyweight / C: Ceiling / CAR: Carcinogenic Effects / CAS No: Chemical Abstracts Service Number (see ACS – American Chemical Society) / CMRs: Carcinogenic, Mutagenic or toxic to Reproduction (substances) / CSR: Chemical Safety Report / Cc (cm3): Cubic Centimeter / DNEL: Derived No-Effect Level / EC50: half maximal effective concentration / ED50: Effective Dose 50 / ET50: Exposure Time 50 / I.V.: Intravenous / Kg: Kilogram / LC: Lethal Concentration / LC50: Median Lethal Concentration / LCLO: Lowest Lethal Airborne Concentration Tested (see also LC50, LD50) / LD: Lethal Dose / LD50: Median Lethal Dose LDLO: Lowest Lethal Dose Tested (see also LC50, LD50) / MAC: Maximum Allowable Concentration / MAK: Maximale Arbeitsplatz-Konzentration (Germany, Maximum Workplace Concentration, see OEL) / MSDS: Material Safety Data Sheet / NOAEL: No Observed Adverse Effect Level / NOEL: No Observable Effect Level / OEL: Occupational Exposure Limits / PBTs: Persistent, Bioaccumulative and Toxic substances / PEC: Predicted Environmental Concentration / PNEC: Predicted No-Effect Concentration / REACH: Registration, Evaluation, Authorisation and Restriction of Chemical substances / STEL: Short-Term Exposure Limit / STEV: Short-Term Exposure Value / STP: Sewage Treatment Plant TLM: Threshold Limit, Median / TLV-C: Threshold Limit Value-Ceiling / TLV@: Threshold Limit Value / TWA: Time-Weighted Average / WGK: Wassergefährdungsklasse (Water Hazard Class under German Federal Water Management Act) / g/gms: Grams / kJ/mol: Kilojoules per mole / kPa: KiloPascal (unit of pressure) / m3: Cubic Meter / mg: Milligram / ml: Milliliter / ml Hg: Milliliters of Mercury / n.o.s.: Not Otherwise Specified / nm: nanometer / ppb: Parts Per Billion / pph: parts per hundred (= percent) / ppm: Parts Per Million / ppt: parts per trillion / vPvBs: Very Persistent and Very Bioaccumulative substances
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DMEL	Derived Minimal Effect level

Handgel

Product Safety Information Sheet

A safety data sheet is not required for this product under Article 31 of REACH. This Product Safety Information Sheet has been created on a voluntary basis

DNEL	Derived-No Effect Level
DPD	Dangerous Preparations Directive 1999/45/EC
DSD	Dangerous Substances Directive 67/548/EEC
EC50	Median effective concentration
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
STP	Sewage treatment plant
TLM	Median Tolerance Limit
SDS	Safety Data Sheet
vPvB	Very Persistent and Very Bioaccumulative

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None. DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

Full text of H- and EUH-statements:

Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Ox. Liq. 1	Oxidising Liquids, Category 1
Ox. Liq. 2	Oxidising Liquids, Category 2
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H225	Highly flammable liquid and vapour.
H271	May cause fire or explosion; strong oxidiser.
H272	May intensify fire; oxidiser.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H373	May cause damage to organs through prolonged or repeated exposure.
H412	Harmful to aquatic life with long lasting effects.

Handgel

Product Safety Information Sheet

A safety data sheet is not required for this product under Article 31 of REACH. This Product Safety Information Sheet has been created on a voluntary basis

SDS EU (REACH Annex II)/COS

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.